

CERTIFICATE OF ANALYSIS



Customer: Reef Natural
11916 Persuasion Drive
San Antonio, TX 78216

Batch #: 603428
Laboratory Number: ATL-17732

Report Issue Date: 1/19/2024
Order Date: 1/15/2024
Analysis Date: 1/18/2024

Sample Description:

THCA, D8 Infused Gummy Square - Tropical Flavor

Unit Weight: 4.1818g / Gummy



Extraction Technician: LL
Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results (mg/gummy)	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.008	N/D	N/D
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results (mg/gummy)	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	23.460	0.561
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results (mg/gummy)	%
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	5.645	0.135

Max Active THC	mg/gummy	%
	4.95	0.12
Max Active CBD	mg/gummy	%
	N/D	N/D

Total Active Cannabinoids	mg/gummy	%
	28.41	0.68
Total Cannabinoids	mg/gummy	%
	29.11	0.70

NOTES

[Empty box for notes]

Cannabidiolic Acid (CBDA) Cannabidiol (CBD) Cannabidiol Acetate (CBDA) Cannabigerol Acetate (CBGA) Cannabigerol (CBG) Cannabidiol (CBD)
Tetrahydrocannabinol (THCV) Tetrahydrocannabinolic Acid (THCVA) Cannabinol (CBN) Delta-8-Tetrahydrocannabinol (D8-THC) Delta-9-Tetrahydrocannabinol (D9-THC)
9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC) Cannabichromene (CBC) Cannabichromenic Acid (CBCA)
Tetrahydrocannabinol Acetate (THCA)

Document ID: ATL-225 | Revision: 05 | Effective Date: 10/2/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most official manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)
N/D: Not Detected | LOQ: Limit of quantification

